



ELSEVIER

Chemistry and Physics of Lipids  
77 (1995) 275-276

Chemistry and Physics  
of  
LIPIDS

## Volume contents

### Volume 77 (1995)

|   |     |
|---|-----|
| F.J. Hidalgo, R. Zamora (Sevilla, Spain) <i>Epoxyoxoene fatty esters: key intermediates for the synthesis of long-chain pyrrole and furan fatty esters</i> . . . . .  | 1   |
| K.G. Ragunathan, S. Bhattacharya (Bangalore, India) <i>Formation of gel and fibrous microstructures by 1-alkyne amphiphiles bearing L-serine headgroup in organic solvents</i> . . . . .  | 13  |
| G. Jürgens, A. Fell, G. Ledinski, Q. Chen, F. Paltauf (Graz, Austria) <i>Delay of copper-catalyzed oxidation of low density lipoprotein by in vitro enrichment with choline or ethanolamine plasmalogens</i> . . . . .  | 25  |
| A. Ferretti, V.P. Flanagan (Beltsville, MD) <i>Mass spectrometric evidence for the anomalous chemical behavior of 11-dehydrothromboxane B<sub>2</sub></i> . . . . .   | 33  |
| P. Brocca, L. Cantu, S. Sonnino (Milan, Italy) <i>Aggregation properties of semisynthetic GD1a ganglioside (IV<sup>3</sup>Neu5AcII<sup>3</sup>Neu5AcGgOse<sub>4</sub>Cer) containing an acetyl group as acyl moiety</i> . . . . .                                     | 41  |
| D.E. Epps, J.S. Harris, K.A. Greenlee, J.F. Fisher, C.K. Marschke, C.K. Castle, R.G. Ulrich, T.S. Moll, G.W. Melchior, F.J. Kézdy (Kalamazoo, MI) <i>Method for measuring the activities of cholesteryl ester transfer protein (lipid transfer protein)</i> . . . . . | 51  |
| P. Banerjee, J.B. Joo, J.T. Buse, G. Dawson (Staten Island, NY; Chicago, IL) <i>Differential solubilization of lipids along with membrane proteins by different classes of detergents</i> . . . . .   | 65  |
| A. de la Maza, J.L. Parra (Barcelona, Spain) <i>Solubilizing effects caused by alkyl pyridinium surfactants in phosphatidylcholine liposomes</i> . . . . .  | 79  |
| T. Janas, T. Janas (Zielona Góra, Poland) <i>Interaction of undecaprenyl phosphate with phospholipid bilayers</i> . . . . .   | 89  |
| J. Moring, R.I. Duclos, Jr., J.-H. Zhang, L.G. Herbette, X. Xie, A. Makriyannis (Farmington, Storrs, CT; Cambridge, MA) <i>Single crystal X-ray structures of the two 4-heptadecyl derivatives of (1R,5S)-3,6,8-trioxabicyclo[3.2.1]octane</i> . . . . .              | 99  |
| A. Loidl-Stahlhofen, K. Hannemann, G. Spiteller (Bayreuth, Germany) <i>Detection of short-chain <math>\alpha</math>-hydroxyaldehydic compounds as pentafluorobenzylloxime derivatives in bovine liver</i> . . . . .   | 113 |
| S. Tanikawa, K. Miyajima (Kyoto, Japan) <i>Calorimetric and infrared spectroscopic study of phase behavior of hydroxyceramides/cholesterol-3-sulfate system</i> . . . . .   | 121 |
| J.D. Schmitt, B. Amidon, R.L. Wykle, M. Waite (Winston-Salem, NC) <i>Stereospecific labelling of the glycerol moiety: synthesis of 1,2-dioleoyl-sn-[3-<sup>3</sup>H]glycero-3-phospho(1-rac-glycerol)</i> . . . . .   | 131 |
| T. Pomorski, A. Herrmann, B. Zimmermann, A. Zachowski (Berlin, Germany; Paris, France) <i>An improved assay for measuring the transverse redistribution of fluorescent phospholipids in plasma membranes</i> . . . . .  | 139 |
| B.W.K. Diehl, H. Herling, I. Riedl, E. Heinz (Köln, Hamburg, Germany) <i><sup>13</sup>C-NMR analysis of the positional distribution of fatty acids in plant glycolipids</i> . . . . .   | 147 |
| M.S.F. Lie Ken Jie, C.C. Lam (Hong Kong) <i><sup>1</sup>H-Nuclear magnetic resonance spectroscopic studies of saturated, acetylenic and ethylenic triacylglycerols</i> . . . . .  | 155 |
| C. Santaella, P. Vierling (Nice, France) <i>Molecular order and mobility within liposomal membrane made from highly fluorinated phospholipids</i> . . . . .   | 173 |
| M.S.F. Lie Ken Jie, M.S.K. Syed Rahmatullah (Hong Kong) <i>Further chemical reactions of 1-pyrroline fatty ester: N-substituted pyrrolinium and pyrrolidine derivatives</i> . . . . .   | 179 |

|  |     |
|--|-----|
| G. Knothe, M.S.F. Lie Ken Jie, C.C. Lam, M.O. Bagby (IL, USA; Hong Kong) <i>Evaluation of the <sup>13</sup>C-NMR signals of the unsaturated carbons of triacylglycerols</i> . . . . .  | 187 |
| G. Knells, M. Khalique Ahmed, R.M. Das, M.R. Oulton, H.H. Mantsch, J.E. Scott (Manitoba, Nova Scotia, Canada) <i>Fourier-transform infrared spectroscopic analysis of rabbit lung surfactant: subfraction-associated phospholipid and protein profiles</i> . . . . . | 193 |
| D. Otten, K. Beyer (München, Germany) <i>Chain length mismatch and packing constraints of free fatty acids in a hexagonal detergent host phase. A wide line deuterium NMR study</i> . . . . .  | 203 |
| M. Alaiz, S. Barragán (Sevilla, Spain) <i>Changes induced in bovine serum albumin following interactions with the lipid peroxidation product E-2-octenal</i> . . . . .   | 217 |
| A. Polidori, B. Pucci, L. Zarif, J.-M. Lacombe, J.G. Reiss, A.A. Pavia (Avignon, Nice, France) <i>Vesicles and other supramolecular systems made from double-tailed synthetic glycolipids derived from galactosylated tris(hydroxymethyl)aminomethane</i> . . . . .  | 225 |
| P. Palestini, M. Pitta, S. Sonnino, M.F. Omodeo-Salè, M. Masserini (Milano, Italy) <i>Spontaneous transfer of GM3 ganglioside between vesicles</i> . . . . .   | 253 |
| J.K. Denike, M. Moskova, X.X. Zhu (Québec, Canada) <i>Stereoselective synthesis of 3β-bile acid derivatives from the 3α-analog</i> . . . . .   | 261 |
| <b>Author index — Volume 77</b> . . . . .  | 269 |
| <b>Subject index — Volume 77</b> . . . . .   | 271 |
| <b>Contents — Volume 77</b> . . . . .  | 275 |

